

WHAT IS CLAIMED IS:

1. A system of simultaneously executing post office protocol e-mailing and chatting, comprising:

a pair of web browsers of a sender and a receiver;

5 Internet contacting units for contacting to the web browsers;

an e-mail server for sending-receiving of e-mail between the sender and the receiver; and

a CHmail(chatting-mailing) server for simultaneously
10 executing post office protocol e-mailing and chatting between the sender and the receiver through identifying means for identifying a chatting attempter in a header of the e-mail.

2. A method of simultaneously executing post office protocol
15 e-mailing and chatting, comprising the steps of:

framing an e-mail after turning on a CHmail program simultaneously post office protocol executing e-mailing and chatting;

endowing a port number by a CHmail server;

20 inserting a log-in ID of the CHmail server, an IP address/host name, and a port number into the header of the e-mail;

sending the e-mail to an e-mail receiver;

attempting a chat with the e-mail sender by the e-mail receiver;

confirming a response of the e-mail sender; and

chatting between the e-mail sender and the e-mail receiver

5 using a chat client programs,

wherein, when there is no response of the e-mail sender for a chat attempt by the chat sender, the above method further comprises the steps of:

confirming on/off status of the computer of the e-mail
10 sender(the chat receiver);

successively attempting chatting when the computer of the chat receiver is an "on status"; and

automatically alarming the chat attempt to the chat receiver through the CHmail server when the computer of the chat
15 receiver is an "off status",

wherein, if the e-mail sender sent the e-mail to a receiver of C.C.(carbon copy) as well as the e-mail receiver, it is possible that the communication between the e-mail sender and receiver is executed together with the receiver of C.C. at the
20 same time.

3. Goods publicity system using simultaneously executing post office protocol e-mailing and chatting at the same time between

an user and a host on an Internet shopping mall, comprising:

a pair of web browsers of the user and the host;

Internet contacting units for contacting the web browsers of the user and the host;

5 at least one web server connected to the web browsers of the user and the host for communicating between them;

a CHmail server for e-mailing and/or chatting between the user and the host;

a first database including a table having the log-in ID and
10 the most recent IP address/host name;

a second database including a table having the port number, the log-in ID of CHmail server;

a member database having an information of the user;

an advertisement database having a plurality of
15 advertisement information; and

a network protective system preventing an inner system from an outer trouble and prevents the user information from the information drain.

20 4. Goods publicity system according to claim 1 or 3, wherein said Internet contacting units are selected from on-line means such as a modem, and a dedicated line, or wireless means such as a mobile telephone, a notebook computer, and a PDA.

5. Goods publicity method using simultaneously executing post office protocol e-mailing and chatting at the same time between an user and host on the Internet shopping mall, comprising the steps of:

- 5 contacting to the Internet shopping mall by the user;
 confirming the user whether he is shopping mall member or
not;
 registering the user as a member if he is not the member;
 sending the e-mail to the host using a program
- 10 simultaneously executing e-mailing and chatting at the same time
 after selecting goods;
 attempting chatting with the user by the host received the
e-mail using the program;
 confirming a response of the user; and
- 15 chatting between the user and the host using the chat
client program in each computer of them,
 wherein, when there is no response of the user for a chat
attempt by the host, the above-captioned method further
comprises the steps of:
- 20 confirming on/off status of the computer of the user;
 successively attempting chatting when the computer of the user
is an "on status"; and
 automatically alarming the chat attempt to the user when

the computer of the user is an "off status"

wherein, if the user sent the e-mail to a receiver of C.C.
as well as the host, it is possible that the communication
between the user and host is executed together with the receiver
5 of C.C. at the same time, and it is possible to change parts of
the user and the host from each other, namely, chatting attempt
may be executed by the user to get goods information.

10

15

20